





TRENDING ACCESSIBILITY



TOP VIEW



FRONT VIEW



SIDE VIEW



SUBMITTAL

This shower enclosure shall be model TAPP 6036 BF 1.0 Base left or right drain. Finished surface shall be of a sanitary grade polyester gelcoat exhibiting a minimal thickness of 15 dry mils and a finished cured Barcoal hardness of 80-90 as tested with ASTM D-2583. Unit construction shall be of a molded reinforced fiberglass with a 15% minimum fiberglass content.

The unit shall have outside dimensions of 60" x 36 7/8" x 4 1/2" with a 1.0" threshold.

The unit shall meet ANSI Z124.1-2, BOCA, NAHB, UPC, CSA, shall meet the requirements of the Southern Building Code.

The enclosure shall be equipped with the following features:

- 1) Low entry change of level threshold,
- 2) self sustaining bottom,
- 3) Slip resistant surface on floor,
- 4) Gelcoat finish,
- 5) 1.0" threshold.

THIS UNIT FEATURES THE OUTSIDE DIMENSIONS OF 60" AND 36 7/8". FINISHED WALLS ABOVE THE SHOWER BASE BY OTHERS.

THIS SHOWER BASE IS AVAILABLE WITH SECTIONAL WALL SYSTEM MODEL: TAP 6036 BF 1.0 L-R.

Job Name	Approved By	Name	Date	Trending Accessibility	
Project No	Architect			Model No. TAPP 6036 BF 1.0 L-R	
	Engineer			Drawing No. TAPP 6036 BF 1.0 L-R	
	Rep			Date Issued. 4-23-12	Drawing Rev.
	Wholesaler			Material. Gelcoat	
	Comments			Color:	
				Dimensions are in inches. Due to the nature of the materials dimensions may vary ± 1/2"	